

PEACEMAKER ISOLATION PAD

Peacemaker Isolation Pad is a small, yet dense sound isolation material designed to float devices that cause vibration such as speakers, mics, and sub-woofers. Using Peacemaker Isolation Pad will help to decouple items from a surface, reducing vibration transfer. This portable solution is made from recycled materials and is safe for use in commercial or residential spaces. Because of its density, Peacemaker Isolation Pad will withstand a wide range of weights from speakers and bass amps, to air compressors and entertainment centers, while still being light enough for stress-free portability for use in other spaces.



VOLUME CONTROL

Product Details

Size: 24" x 24" x 1.77"

Weight: 21 lbs

Specifications

- Quick interlocking installation with plastic pins and minimal adhesive
- Made from 100% recycled SBR truck tire rubber buffings and granules in a non-toxic polyurethane binder

- o Slip resistant
- Minimal maintenance
- Porous for effective drainage







Section 1: Product and Company Identification

Material Name: Peacemaker Isolation Pad Product Use: Impact Resistance Flooring

Manufacturer: Audimute Sound Management Solutions

23700 Aurora Road

Bedford Heights, OH 44146

Section 2: Hazardous Identification

Classification in accordance with paragraph (d) of 29 CFR
The products listed above are considered "articles" as defined in the OSHA
Hazard Communication Standard, 29 CFRand are considered
"manufactured articles" as defined by the Canadian Hazardous Products
Act (R.S.C., 1985, c. H-3) and as such are exempt from the requirement for
an SDS. Under normal conditions of use, these products do not pose a
hazard in the workplace or to the building occupants. Since these products
or "articles" pose no health hazard under normal conditions of use, there is
no requirement for an SDS. In addition, "articles" are not included in the
scope of the Globally Harmonized System (GHS). For that reason, the GHS
labeling elements are not included on this SDS.

Although these products are not subject to the OSHA or Canadian standards or GHS labelling elements, Carlisle would like to disclose as much health and safety information as possible to ensure that these products are handled and used properly. This SDS contains information critical to the safe handling and proper use of the products. It is recommended that this SDS should be retained and made available to the users of these products. In addition, the recommendations for handling and use of these products should be included in worker training programs.

Section 2: Hazardous Identification Cont.

None Known

Section 3: Composition / Information of Ingredients

Hazardous Ingredients	CAS Number	Percent (%)
Diphynel Methane 4, 4' Diisocyanate (MDI) Polyurethane Binder	101-68-8	<18
Oxide Pigment	1309-37-1	<2
Rubber Tire Buffings [Styrene-Butadiene Rubber]		>80

Section 4 - First Aid Measures

No procedures are expected to be required to handle this material.

Section 5 - Fire Fighting Measures

Extinguishing Method: Water, Foam, Dry Chemical, CO₂. Use full protective equipment and SCBA, filter masks, etc.

NFPA Fire Hazards Identification System: Health (1) Fire (1) Reactivity (0)

Section 6 - Accidental Release Measures

When heated, provide adequate ventilation to remove smoke and fumes from work area.

Section 7 - Handling and Storage

Normally store below 35°C in cool, dry location.

Section 8 - Exposure Controls / Personal Protection

Employees who have prolonged contact with this material should practice good personal hygiene by frequent washing of the hands and arms with soap and water. Wear gloves if practical.

Section 9 - Physical and Chemical Properties

Appearance: Colored rubber tile

Odor: Rubber odor
pH: Not Available
Melting point/Freezing point: Not Available

Decomposition Temperature (°C): Not Available
Flash Point (°C): Not Available
Evaporation rate: Not Applicable
Flammability (solid): Not Available

Lower flammable/explosive limit: Not Available
Upper flammable/explosive limit: Not Available
Vapor pressure: Not Applicable

Vapor density: Solid state – not applicable

Relative density:

Solubility:

Viscosity:

Not Available

Insoluble in water

Not Available

Section 10 - Stability and Reactivity

Reactivity: Stable under normal working and storage condition.

Chemical stability: No allocated

Possible hazardous reactions: Flammable/combustible under high heat and flame.

Incompatible materials: None allocated

Hazardous decomposition products: by fire - CO₂, CO, Oxides of Nitrogen, Carbon and Sulfur

Section 11 - Toxicological Information

N/A

Section 12 - Ecological Information

N/A

Section 13 - Disposal Considerations

Recycle if possible, if not, landfill in accordance with applicable environment control regulations. Do not incinerate.

Section 14 - Transport Information

N/A

Section 15 - Regulatory Information

Store in cool, dry location below 35°C. Keep away from open flames. Provide adequate ventilation when installing.

Section 16 - Other Information

SDS Revised on June 24, 2016

Audimute believes that the information herein is correct at the date that this Safety Data Sheet was prepared. The data may not be exhaustive and should only be used as a guide to determine the best conditions for the safe use of the product. Audimute is not responsible for any injury or liability resulting from misuse of this product.